



WE EXPERIMENT SO LIFE BECOMES SIMPLER FOR YOU

We innovate not to isolate you from technology, but to make our technology feel more empathetic. We create products that understand and respond to your needs. Our intensive research and development are what make us the leading power and home electrical specialists; We do whatever it takes to find the most effective lighting solutions, with our customer's best interests at the heart of it.





WHEN WE CREATE, WE HAVE YOU BOTH IN OUR MINDS AND HEARTS.

Doesn't it feel great to be understood? We understand that some days a smile is all it takes to light up a room, while other days call for a more gentle and mellow mood. We know that romance demands the opposite of bright lighting, yet mood lighting doesn't work when you need to focus.

WIDE RANGE OF LIGHTING





BECAUSE YOUR DAY HAS A RANGE OF DIFFERENT MOMENTS.

When it comes to our intuitive products, we don't just innovate, we pre-empt your every possible need. Our extensive range of LED lighting will ensure you find exactly what you're looking for, no matter which corner of your home it's for. With the goodness of unwavering, effective and glare-free lighting, our LED Lighting conserve up to 85% energy while assuring lifelong brightness, hassle-free performance, and custom brightness distribution. Here's to lighting that feels like home.



Designer LED Lamps


Ready-to-install signature led lights with Unique Architectural Design. Fits in Standard B22d Holder – No Electrician required. 920 lumens per watt brightness.

Camellia Designer LED Lamps

10W









Unique Architectural Design



Fits in Standard B22d Holder – No Electrician required



10W Light: 920 Lumens



Adjustable Illumination direction with two-way rotation

10W 92lm/W 6500K >0.9 ≥80 CDL	nput ower	Rated Efficacy	CCT (K)	PF	CRI	Color
	10W	92lm/W	6500K	>0.9	≥80	CDL

APPLICATION



Showrooms In:



Institutions



Shops



Common Areas





Signal we LED LIGHTS

Designer LED Lamps

Ready-to-install signature led lights with Unique Architectural Design. Fits in Standard B22d Holder – No Electrician required. 920 lumens per watt brightness.

Hazel Designer LED Lamps

10W



Unique Architectural Design



Fits in Standard B22d Holder – No Electrician required



10W Light: 920 Lumens



Adjustable Illumination direction with two-way rotation



Input Power	Rated Efficacy	CCT (K)	PF	CRI	Color
10W	92lm/W	6500K	>0.9	≥80	CDL

APPLICATION



Showrooms Inst



Institutions



nops





Galaxia Downlighter - Round (Backlit Technology)

6W | 9W | 12W | 15W | 18W | 22W







6500K High Functional Light Efficacy (90 Lumens per watt)



High Colour Rendering index (CRI>80) for true colours

Vattage /ariants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy
6W	CDL, WW, NW	105	>0.9	<u>></u> 80	90 lm/W
9W	CDL, WW, NW	105	>0.9	<u>></u> 80	90 lm/W
12W	CDL, WW, NW	150	>0.9	<u>></u> 80	90 lm/W
15W	CDL, WW, NW	150	>0.9	<u>></u> 80	90 lm/W
18W	CDL, WW, NW	207	>0.9	<u>></u> 80	90 lm/W
22W	CDL, WW, NW	207	>0.9	<u>></u> 80	90 lm/W

APPLICATION





Restaurants

Hotels

Galaxia Eco LED Downlighter come with certified LED chips for a long-life and a CRI Index > 80. This means that ambience in your home will be enhanced as the light will bring out the true colors in your home.





Galaxia Dowlighter - Square (Backlit Technology)

6W | 9W | 12W | 15W | 18W | 22W







6500K High Functional Light Efficacy (90 Lumens per watt)



High Colour Rendering index (CRI>80) for true colours

attage Iriants	Color	Dimension (LxW)mm	PF	CRI	Lumen Efficacy
6W	CDL, WW, NW	120x120	>0.9	>80	90 lm/W
9W	CDL, WW, NW	120x120	>0.9	>80	90 lm/W
l2W	CDL, WW, NW	170x170	>0.9	>80	90 lm/W
15W	CDL, WW, NW	170x170	>0.9	>80	90 lm/W
l8W	CDL, WW, NW	220x220	>0.9	>80	90 lm/W
22W	CDL, WW, NW	220x220	>0.9	>80	90 lm/W

Lumen may vary as per colour

CCT-6500K (CDL), 4000K (NW), 3000K (WV

APPLICATION



Homes S



Small Offices




Showrooms

Galaxia Eco Surface Ring

(Converts Galaxia Eco Panel into a Surface Panel)







	e Ø	Shape	Material	Size Variants (mm)	Product Description
24146214113		Round and square	Plastic	105 / 155 210	Galaxia Eco Surface Ring

APPLICATION





Showrooms













6W | 12W | 15W







Smooth Light Distribution

Safe f	or
eye	

/attage ariants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy
6W	CDL	105	>0.9	>80	70 lm/W
12W	CDL	150	>0.9	>80	70 lm/W
15W	CDL	150	>0.9	>80	70 lm/W
		A A			

APPLICATION

Homes

Hotels

Zolo Eco LED Slim Panel - Round

Premium Polycarbonate Body Slim Panels for False Ceiling installation. These come with a step-design on the front face

along with Prismatic Diffuser for a perfect light diffusion in your room, with a true colors ambience (Color Rendering Index > 80)



Zolo Eco LED Slim Panel - Square (Edgelit Technology)

6W | 12W | 15W







Ultra Slim Construction



Smooth Light Distribution



Lifelong Brightness

/attage ariants	Color	Dimension (LxW)mm	PF	CRI	Lumen Efficacy
6W	CDL	120x120	>0.9	>80	70 lm/W
12W	CDL	120x120	>0.9	>80	70 lm/W
15W	CDL	120x120	>0.9	>80	70 lm/W

* Lumen may vary as per colour.

APPLICATION




Homes



Hotels



Showrooms



Comet Pro Ceiling Lights

3W**|**5W**|**7W





Elegan Curved design



Wider Diffuser for Better Light Distribution

Slim and compact
Product body



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy
3W	CW / NW / WW Red / Green / Blue / Pink	58	>0.9	>80	80 lm/W
5W	CW / NW / WW Red / Green / Blue / Pink	85	>0.9	>80	80 lm/W
7W	CW/NW/WW	85	>0.9	>80	80 lm/W

^{*} Lumen may vary as per colour.

APPLICATION







Shop



Cafes



Comet Eco Ceiling Lights

7W **I** 9W





High Efficacy Of 80-85 Lumens Per Watt



Suitable For 4-inch Junction Box Ceiling Fitting



Suitable For False Ceiling Installation



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy
7W	CDL/NW/WW	85	>0.9	>80	80 lm/W
9W	CDL/NW/WW	85	>0.9	>80	80 lm/W

Lumen may vary as per colour.

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shop



Cafes



Ceiling Light comet Eco Lite Mini Dual color

7W











Suitable For 4-inch Junction Box Ceiling Fitting



Wattage Color Dimension PF CRI Lumen Variants Dia+H (mm) Efficacy 7W CDL +Blue 85x46 >0.9 >80 57 lm/W 7W CDL+WW 85x46 >0.9 <u>></u>80 57 lm/W







Cafes

APPLICATION



Spectra Eco Swivel Downlight

3W16W19W





Spotlight illumination



Intense Focused Light, Tiltable Design, Unique Lens



/attage ariants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy	ССТ
3W	ww	74	>0.9	>80	70 lm/W	3000K
6W	ww	95	>0.9	>80	70 lm/W	3000K
9W	WW	116	>0.9	>80	70 lm/W	3000K

APPLICATION



Homes



Hotels



Showrooms



Spectra Eco Spotlight

2W











Wattage Variants	Color	Cut-out Dimension(mm)	PF	CRI	Lumen Efficacy
	CW/NW/WW	~ × ,		√	
2W	Red / Green / Blue Pink	34.5	>0.9	>80	50 lm/W

* Lumen may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Hotels



Showrooms



LED Surface Panel - Striker

3W





Smooth Light Distribution





/attage	Color	Size	PF	CRI	Lumen
ariants		Dia x H (mm)	\		
	CW/NW/WW				
3W	Red / Green / Blue	68x14	>0.9	>80	55 lm/W
	Pink				

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Hotels



Cafes

Wall Decor









B22 base

Indoor Usage



Strong
Polycarbonate
body



Homes



School & College



Bunglows



Office Areas



Gate Decor





Pearl 150mm



Starex 150mm



Secura 150mm



lk07



B22 base cap



Secura 200mm



Thunder 200mm



Glowbox 200mm



Strong Polycarbonate





Homes



School & College



Bunglows



Office Areas



Quanto Pro Floodlight

20W | 30W | 50W





Strong and Sturdy Construction



High Surge Protection



Coated Aluminium Alloy for Weather Protection



/attage ariants	Color	Dimension (LxW)mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CDL	142 x 129	>0.9	<u>></u> 70	100 lm/W	4KV	IP65
30W	CDL	169 x 212	>0.9	<u>></u> 70	100 lm/W	4KV	IP65
50W	CDL	202 x 212	>0.9	<u>></u> 70	100 lm/W	4KV	IP65





Homes













Gardens

School & College

Bunglows



Sreeto Eco Street Light

20W | 30W | 50W







Bright LEDs



Protection from dust & Moisture



Wattage Variants	Color	Dimension (LxW)mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CDL	255 x 102	>0.9	<u>></u> 70	100 lm/W	4KV	IP66
30W	CDL	298 x 120	>0.9	<u>></u> 70	100 lm/W	4KV	IP66
50W	CDL	346 x 142	>0.9	<u>></u> 70	100 lm/W	4KV	IP66














Condominiums

Cafes

Villas

School & College

Pathways



LED Batten - PC Frame

20W | 22W | 24W





Square Shape Illumination



Robust Electronics For Long-life & Diffused Optics



Unibody Mechanical Construction

Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
Duraglo	20W	CDL	Square	1135	>0.9	<u>></u> 80	2000lm
Ouraglo Lite	20W	CDL	Square	1100	>0.9	<u>></u> 80	2000lm
uraglo Plus	22W	CDL	Square	1175	>0.9	<u>></u> 80	2000lm
SpectraGLo	22W	CDL	Square	1175	>0.9	<u>></u> 80	2200lm
pectraGLo Plus	24W	CDL	Square	1175	>0.9	<u>></u> 80	2400lm

APPLICATION




Homes



Small Offices



Common Areas



LED Batten - Aluminum Frame

36W





Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Strong
Unibody
Mechanical
Construction

Product	Input	Color	Shape	Size	PF	CRI	Lumen @
MaxiGlo Plus	Power 36W	CDL	Square	(mm) 1185	>0.9	<u>></u> 80	6500K 3600 lm

APPLICATION



Homes



Small Offices



Common Areas

20W LED Color Batten - Duraglo Lite LED Color battens comes with a range of Red, Blue, Green, Pink & Warm White ambiance. These are ideal for decorative purpose during Festive celebrations

LED Color Batten - Duraglo Lite





Sleek
Square
Shape
Illumination






Strong
Unibody
Mechanical
Construction

Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 3000K	Material
Duraglo Lite	20W	WW, Pink Green Blue, Red	Square	1100	>0.9	<u>></u> 80	1800 lm	Plastic









Small Offices



Common Areas



LED Inverter Lamp

LUMINOUS







Lumen@

6500K

900lm

1200 lm


Overcharging and

Battery

Capacity

2200mAh

2200mAh















Common Areas



LED HB Pro lite Lamps

5W**I**7W**I**9W







Bigger Diffuser



Brighter Lighting



works On Wide Voltages



Color Size PF CRI Input Lumen @ Dia x H (mm) 6500K Power 60x110 5W CDL >0.9 <u>></u>80 525 lm CDL 60x110 >0.9 <u>></u>80 735 lm 7W 9W CDL 60x110 >0.9 <u>></u>80 945 lm











Shops



Common Areas

Showrooms

Institutions



LED LB Shine Eco Lamps

7W | 9W | 11W | 12W | 15W | 18W | 20W | 23W







Brighter Lighting

PF

>0.9

>0.9

>0.9

>0.9

>0.9

>0.9

>0.9

>0.9

>0.9



Lumen @

6500K

270 lm

630 lm

810 lm

1000 lm

1272 lm

1590 lm

1908 lm

2120 lm

2438 lm

Works On Wide Voltages

Base

B22d

B22d

B22d/E27

B22d

B22d

B22d

B22d

B22d

B22d



Input	Color	Size
Power		Dia x H (mm)
2.7W	CDL	50 x 90
7W	WW	57 x 100
9W	WW	57 x 100
11W	CDL	57 x 100
12W	CDL	60 x 107
15W	CDL	65 x 118
18W	CDL	75 x 135
20W	CDL	80 x 137
53/W	CDI	95 v 148











CRI

≥80

≥80

≥80

≥80

≥80

≥80

≥80

≥80

≥80



Showrooms

Institutions

Shops

Common Areas



LED Blaze Eco Lamps

30W | 40W | 50W





Bigger Diffuser



Brighter Lighting






Input Power	Color	Size Dia x H (mm)	PF	CRI	Lumen efficacy	Lumen @ 6500K
30W	CDL	100 x 152	>0.9	≥80	3000lm	100 lm/W
40W	CDL	120 x 167	>0.9	≥80	4000lm	100 lm/W
50W	CDL	140 x 190	>0.9	≥80	5000lm	100 lm/W

APPLICATION







Institutions



Shops



Common Areas

LED Blaze Eco Lamps

Blaze bulbs come with lifelong brightness. These bulbs are designed for wider area coverage and work on wide voltage.



LED HB Shine Pro Lamps

12W | 15W | 18W













Input Power	Color	Size Dia x H (mm)	Lumen efficacy	Lumen @ 6500K
12W	CDL	60x107	1272lm	106 lm/W
15W	CDL	65x118	1590lm	106 lm/W
18W	CDL	75x135	1908lm	106 lm/W

_umens may vary as per col





Showrooms



Institutions





Shops

Common Areas

LED HB Shine Pro Lamps

Shine Pro are high beam bulbs with enhanced diffuser for better light distribution. These cool white bulbs offer 100 lumens per watt brightness.



Amber Eco LED Deco Lamps

0.5W







Rich colors for decoration



Soothing effect for sleep mode

Input	Color	Dimension	Beam	Base
Power		Dia x H (mm)	Angle	
0.5W	White, Yellow, Red	45x70	200°	B22d
	Blue, Green, Multicolor			

^Lumens may vary as per col

APPLICATION



Bedrooms



Prayer Rooms



Staircases

RR KABEL LIMITED Ram Ratna House, Oasis Complex, P.B. Marg, Worli Mumbai, 400013, Maharastra Toll Free No.:- 1800 203 2676, Email: customercare@rrglobal.com "Photographs of the Products shown above are indicative only. Owning to continuous innovation and improvements, actual product may vary in design, description, colors and color

responsibility of the variations and reserves its right to make changes in the data/details, without any prior intimation or notice."

combinations from one shown herein. Care has been taken to ensure that information contained herein is correct and updated from time to time. Luminous Lighting, however, takes no