

Home **Essentials** for a beautiful everyday



Water Heater | Room Heater | Immersion heater | Dry Iron



About RR Global

RR Global, a USD 1.25 billion conglomerate has moulded its success on innovation. Since the foundation of the brand, its architects opted that innovation is the key to success of every product in the brand. It was a really courageous decision because at that point in time categories like wires and cables were highly commoditized. This optimistic development led to the creation of a brand - RR Kabel, a name which is admired worldwide with existence over 90+ countries across the globe.

Presently the company is ranked amongst the top three retail wire manufacturers across the nation. It is also the largest consumer of copper in India, an achievement which no one would have imagined a cable and wire company to be capable of and that is the reason they are preferred by clients who are some of the largest copper manufacturer in the country.

RR Global takes honour in establishing 9 companies and global offices, primarily in the U.A.E and Bangladesh. In their endeavour to set international benchmarks, RR Kabel has received 19 international accreditations. They are the first in India to have BASEC (U.K.), UL (U.S.A.), VDE (Germany), among others for its wide range of cables including ISO 50001 and ISO 14001.

Across the course of four decades, their impulse towards innovation to achieve success and hard work steered them to earn phenomenal recognition with RR Kabel becoming the desired choice for wires and cables not only in India but also on a global platform.

RR Global India focusses on cutting edge technology and research to enhance efficiency, reliability, and safe conduction of electricity. This in turn supported the core of the company's engineering endeavour which is to guarantee safe environments everywhere- offices, commercial spaces, industrial plants, and residences.



Comfort manifests in not just the big things, but in the small, everyday essentials that help life better. Choose from a wide range of Water Heaters, Room Heaters & Irons, each guaranteed for quality performance, tested by time.

Backed by efficient and earnest customer service, we constantly strive towards coming up with products that help make life comfortable.







STORAGE WATER HEATER - SUPREMUS+

15 Ltr | 25 Ltr





Digital Temperature Display



Durable, Rust Proof HIPS Body



Magnesium Anode Rod



Highrise Building



Thermal Cutout




Multi Functional Safety Valve



- 4 star bee rating for low power consumption
- Adjustable temperature knob for convenience
- Suitable for pressure pumps and high rise buildings
- Puf insulation for efficient power consumption
- Auto cut off provided for safety
- Vitreous enameled glass line tank for long life

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
15	330	340	490
25	385	395	550





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	7 YEAR





STORAGE WATER HEATER - SUPREMUS GLS

06 Ltr | 10 Ltr | 15 Ltr | 25 Ltr







High-grade Thermostat



Rust Proof Body



Magnesium Anode Rod



Vitreous Enameled Glass Line Tank For Long Life



Multi Functional



Safety Valve




• Suitable for high rise buildings and high pressure pumps

- Safety feature- Multi functional valve, Thermostat, Thermal cutout
- Adjustable temperature control knob

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
6	325	340	415
10	325	340	475
15	325	340	550
25	370	400	600





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	7 YEAR





STORAGE WATER HEATER - CALESCENT

10 Ltr | 15 Ltr | 25 Ltr









Magnesium Anode Rod



Multi Functional Safety Valve



• Safety feature- Multi functional valve, Thermostat,

2 YEAR

2 YEAR

7 YEAR

- ` Thermal cutout
- Adjustable temperature control knob

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	8 Bar

PRODUCTS DIMENSIONS

Dimensions (mm)					
L	W	Н			
317	330	410			
305	330	550			
355	375	600			
	L 317 305	L W 317 330 305 330			







Metal Body





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.



STORAGE WATER HEATER - ARDENT

10 Ltr | 15 Ltr | 25 Ltr

VERTICAL MOUNTING





High-grade Thermostat



Thermal

Cutout

Fusible Plug



Glasswool Insulation



Pressure Release Value



- Safety feature -Thermostat & Thermal Cutout, Pressure release valve & fusible plug
- High grade & high gauge stainless steel tank SS 304 L
- Anti vacuum system
- Powder coated metal body for long life

Voltage	Туре	Frequency	Wattage	Rated Pressure
220V	Storage	50Hz	2 KW	3.5 Bar

Capacity	Dimensions (mm)			
in Litres	L	W	Н	
10	405	255	510	
15	395	305	495	
25	432	380	540	





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR





Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

INSTANT WATER HEATER - RAVISH

03 Ltr







Fire retardant power cord

- Fire retardant power cord for maximum safety
- Weldless SS 304 L tank that enhances resistance to corrosion ensuring long tank life
- Rust and shock proof outer body
- Capillary thermostat for higher efficiency
- Leakage proof integrated pressure valve
- Anti Siphon protection designed to prevent any backflow of water and protect the heating element from dry heating
- Disc type thermal cut-out for higher efficiency

Voltage	Type	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar








Capillary thermostat






Dimensions (mm) Capacity in Litres W Н





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR





INSTANT WATER HEATER - CALID Plus

03 Ltr







High-quality Thermostat



Pressure Release Value



Thermal Cutout



LED Indicator



Fusible Plug




Stainless Steel Tank

- Thermostat, Thermal Cut Out & Pressure Release Valve (PRV) for Safety Purpose
- High Grade & High Gauge Stainless Steel Tank SS 304 L
- Rust Proof Body

Voltage	Туре	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
03	202	196	365





PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR



INSTANT WATER HEATER - CALID Pro

05 Ltr







High-quality Thermostat



Pressure Release Value



Thermal Cutout





Suitable for Low & mid res Buildings



• 3 level Safety Feature - Thermostat and Thermal Cutout and Pressure Release Valve(PRV) for Safety Purpose


- Thick High Grade Stainless Steel (SS 304L) Weldless Tank
- Rust & Shock-Proof Plastic body
- LED Indicator for Power and Heating

Voltage	Туре	Frequency	Wattage	Rated Pressure
230V	Instant	50Hz	3 KW	6.5 Bar

Capacity	Dimensions (mm)		
in Litres	L	W	Н
05	235	225	435



PRODUCT	2 YEAR
HEATING ELEMENT	2 YEAR
ON TANK	5 YEAR





GAS WATER HEATER - LPG/PNG

06 Ltr









3-Row Burner withdouble ignition



Summer / Winter

Mode

Adjustable temperature

control



- Better safety during gas flow with single solenoid valve
- Secondary automatic overheat protection Thermal cutout
- Flame failure device
- Gas leakage protection
- Mesh on water inlet, gas inlet and chimney to avoid scaling, blockage, dry heating and impurities
- Variable pressure Compatibility Suitable for low and high water pressure (upto 8 bar)
- Safety lock To control the ON/OFF operation
- ISI Certified product For safety and quality

Rated Capacity	Rated Heat Input	Frequency	Rated Pressure
6 L/min	10kW	50Hz	LPG- 2900 Pa / PNG-2000 Pa

Capacity	Dimensions (mm)		
in Litres	L	W	Н
06	290	140	490





IMMERSION WATER HEATER

1.0 KW | 1.5 KW





- Shock proof handle complete protection against electric shock
- Water Proof Handle
- · Instant heating
- · Water level indicator

Voltage	230V
Туре	Immersion Heater
Frequency	50Hz
Wattage	1.0 KW / 1.5 KW



- Shock proof bakelite handle
- Power Indicator
- Instant Heating
- Water Level Indicator
- Energy efficient

Voltage	230V
Туре	Immersion Heater
Frequency	50Hz
Wattage	1.0 KW / 1.5 KW



Heavy copper heating element



Nickel Plating for Corrosion Resistance



Plastic Shockproof waterproof handle



Neon Indicator



Sturdy Bucket Clip





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

HEAT CONVECTOR - RH 1

2000 W

HEAT CONVECTOR - RH 2 2000 W







- Twin Turbo Design.

- Instant heating.
- · Portable.

Voltage	230V
Frequency	50Hz
Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W /
	2000W

•	Two Heating Positions.	
•	Thermal cutout.	

• Indicator Light.

230 V
50Hz
2000 W
t Provided
n 1000W /
2000W



Two Heating Positions



Thermal Cutout



Indicator Light



Twin Turbo Motor

- Twin Turbo Design.
- Two Heating Positions.
- Thermostat & Thermal cutout.
- · Instant heating.
- Indicator Light.
- · Portable.

Voltage	230V
Frequency	50Hz
Wattage	2000 W
Thermal cut-out	Provided
Heating position	1000W /
	2000W



Two Heating **Positions**



Twin Turbo Motor



Indicator Light



Adjustable Heights

QUARTZ ROOM HEATER

400 / 800W

CALID HALOGEN HEATER

2000 W





Voltage

Frequency

Wattage



230V

50Hz

400 W /

800 W





- Twin Quartz tube for direct heating.
- · Safety tip over switch cuts off the heater. in case it tilts or falls
- room temperature.

in case it tilts of fails.
Two heat settings-
400 watt/800 watt,
for maintaining desired



Indicator Light



Switch for heat setting 400w/800w



Quartz Heating Tubes







- Oscillation upto 180° at all heat setting
- Elegant Panel design that matches vour Home Décor
- Ideal for use in small room for Instant Heating
- Easy to switch between heat settings and manage oscillation function
- Safety tip over switch that cuts OFF the Heater incase it Tilts or Falls

Voltage	230V
Frequency	50Hz
Wattage	1200 W
Heating	400W
Position	800 W
	1200 W



Easy Lift Handle



180° auto **OSCILLATION**



3 Heating rod



Safety Tip Over Switch





Disclaimer: Due to continuous product improvements, Product Image shown may vary from actual product.

PROFILE Plus

1000 W

ARDENT Plus 1000 W









- Weilburger Non Stick Coated Sole Plate for Instant Heating
- Uniform Heat Distribution across the sole plate
- PBT Body with stain resistant, High Strength, tough and stiff characteristics
- Ergonomic stylish handle



Easy Handle Grip



360° Swivel Cord



Variable Temperature Control







- Weilburger non stick coated sole plate for instant heating
- Uniform heat distribution across the sole plate
- Ergonomic stylish handle
- Customize settings for different fabrics



Easy Handle Grip



Indicator Light



Variable Temperature Control

ESTELLA Plus

1000 W

00 W







- Weilburger Non Stick Coated Sole Plate for Instant Heating
- Uniform Heat Distribution across the sole plate
- Ergonomic Stylish Design
- Reliable Snap Action Thermostat



Indicator Light



Thermal Cut out



Adjustable Temperature Control

SILK FLOW Plus

750 W









- · Uniform heating
- · Non stick coating
- Ergonomic handle design
- Multiple temperature levels
- Reliable snap-action thermostat



Indicator Light



360° Swivel Cord



Variable Temperature Control

1000 W









- Saves time, while ironing out wrinkles on clothes
- Aluminium alloy sole plate with to Weilburger Non Stick Gold Coating
- Safety thermal fuse helps avoid Accidental burns by preventing over-heating.
- ISI safety hallmark by BIS



Indicator Light



Weilburger Non Stick Gold Coated Sole Plate



Thermal Cut out



Adjustable Temperature Control



SKYWIND DESERT ROOM AIR COOLER

90 Ltr | 70 Ltr







High Air throw



Inverter compatible



Thermal overload

Protection for

motor and Pump



Completely Collapsible Louvers



Honeycomb pad



Multi Directional Castor Wheels

Tank Capacity	90 Ltrs	70 Ltrs
Voltage	230v/50hz	230v/50hz
Wattage (W)	200	200
Air Throw (ft)	60	60
Air Delivery (m³/hr)	4600	4600
Speed (RPM)	1350	1350
Cooling Area(Ft²)	500	500
Body Material	PP	PP
Product Dimensions in mm (LxBxH)	605x480x1060	605x480x1040



CALIDFLOE DESERT ROOM AIR COOLER

70 Ltr | 55 Ltr







High Air throw



Inverter compatible



Thermal overload Protection for motor and Pump



Ice Chamber



Honeycomb/ Woodwool pad



Multi Directional Castor Wheels

Tank Capacity	70 Ltrs	55 Ltrs
Voltage	230v/50hz	230v/50hz
Wattage (W)	200	200
Air Throw (ft)	50	50
Air Delivery (m³/hr)	4500	4500
Speed (RPM)	1350	1350
Cooling Area(Ft²)	400	400
Body Material	PP	PP
Product Dimensions in mm (LxBxH)	590x340x1190	590x340x1150



Note: Available in Honeycomb and Woodwool pad

ESTELLA TOWER ROOM AIR COOLER



35 Ltr





High Air Delivery



Inverter compatible



Thermal overload

Protection for

motor and Pump



Completely Collapsible Louvers



Honeycomb pad



Multi Directional Castor Wheels

Tank Capacity	35 Ltrs
Voltage	230v/50hz
Wattage (W)	150
Air Throw (ft)	35
Air Delivery (m³/hr)	1350
Speed (RPM)	1400
Cooling Area(Ft²)	150
Body Material	ABS
Product Dimensions in mm (LxBxH)	355x350x1150



ESTELLA PERSONAL ROOM AIR COOLER

25 Ltr







High Air Delivery



Inverter compatible



Thermal overload

Protection for

motor and Pump



Completely Collapsible Louvers



Honeycomb pad



Multi Directional Castor Wheels

Tank Capacity	25 Ltrs (DLX)	25 Ltrs
Voltage	230v/50hz	230v/50hz
Wattage (W)	150	150
Air Throw (ft)	35	35
Air Delivery (m³/hr)	1350	1350
Speed (RPM)	1350	1350
Cooling Area(Ft²)	150	150
Body Material	ABS	PP
Product Dimensions in mm (LxBxH)	460x330x740	460x330x740



CALIDFLOE WINDOW ROOM AIR COOLER









Water Level Indicator



Inverter compatible



Thermal overload Protection for motor



Swing



Woodwool pad



High Air Delivery

Tank Capacity	50 Ltrs
Voltage	230v/50hz
Wattage (W)	220
Air Throw (ft)	40
Air Delivery (m³/hr)	2000
Speed (RPM)	1280
Cooling Area(Ft²)	250
Body Material	PP
Product Dimensions in mm (LxBxH)	660x560x550



Note: Trolly sold separately



R R Kabel Limited

Corp. Office:

R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013, Tel No.: +91-22-24929009 / 24924144

www.rrglobal.com

Customer Care Toll Free No.: 18001032676

Email: customercare@rrglobal.com

Terms & conditions apply.

The products may differ as per catalog due to continuous improvements.

The colour shade of the products shown may differ from the actual products colour due to printing limitations

Follow us on fi

