



SWITCH TO A BETTER WORLD

SAFEGUARD YOUR WORLD

FIRE-RETARDANT WIRES & CABLES





The Complete Protection

My association with GM has always made me proud. The range of products it exhibits serves persistent comfort and uncompromised safety. The GM Wires and cable are one such incredible offering. They grant the bliss of convenience and the relief of security against overload and short-circuit. With its easy installation feature it becomes a suitable choice for the residential and industrial spaces.

Suniel Shetty
(Brand Ambassador)



**SAFEGUARD
YOUR
WORLD**

GM

GM
PVC INSULATED WIRES
FR INDUSTRIAL STANDARD
1100 VOLTS

1.5 sq.mm

Product	: PVC Ins. Ind. Cables (Multi Strand)-FR
Type/Code	: Single Core-Unsheathed / Y
Grade	: GM
Size	: 1.5 Sq. mm (22/0.3) - BC
Gross Wt.	: 1100 Volts
Length	: 1.85 Kg. (Approx.)
Cond.Const	: 90 Metres
Reference	: Class 2 : 2010
	: IS 6941 : 2010



CML-270340

**ADVANCED
POLYMER
TECHNOLOGY**



CML-270340



European Conformity






Powering the future

WIRES & CABLES

With an intent to provide complete safety at all times, GM offers complete electrical solutions with cable in both copper and aluminium that are made from finest quality raw materials. Their fire retardant properties, extreme reliability and easy installation process makes them best suited not only for high rise buildings, but also spaces such as mall, multiplexes, commercial or residential sectors.



GM FR (Flame Retardant) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7001	24 / 0.2	0.75	1270.00	24
WR 7002	14 / 0.3	1.0	1630.00	20
WR 7003	22 / 0.3	1.5	2435.00	16
WR 7004	36 / 0.3	2.5	3885.00	10
WR 7005	56 / 0.3	4.0	5790.00	8
WR 7006	84 / 0.3	6.0	8495.00	6


Supplied in 90 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green.

WR 7007	140 / 0.3	10.0	14785.00	4
WR 7008	126 / 0.4	16.0	23595.00	4
WR 7009	196 / 0.4	25.0	37600.00	2
WR 7010	276 / 0.4	35.0	55300.00	1
WR 7011	396 / 0.4	50.0	83910.00	1
WR 7012	357 / 0.5	70.0	113805.00	1

Supplied in 90 Mtrs. Cloth & Polythene Pack - Colors Available Red, Yellow, Blue, Black & Green.

WR 7024*	28 / 0.3	2.0	3130.00	12
----------	----------	-----	---------	----

Supplied in 90 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green. * NON ISI


GM FR (Flame Retardant) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **45 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7031	14 / 0.3	1.0	805.00	40
WR 7032	22 / 0.3	1.5	1195.00	32
WR 7033	36 / 0.3	2.5	1920.00	20
WR 7034	56 / 0.3	4.0	2850.00	16
WR 7058	84 / 0.3	6.0	4140.00	12

Supplied in 45 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green

WR 7050*	28 / 0.3	2.0	1545.00	24
----------	----------	-----	---------	----

Supplied in 45 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green. * NON ISI


GM FR (Flame Retardant) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **180 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7039	24 / 0.2	0.75	2540.00	12
WR 7040	14 / 0.3	1.0	3260.00	10
WR 7041	22 / 0.3	1.5	4870.00	8
WR 7042	36 / 0.3	2.5	7770.00	5
WR 7043	56 / 0.3	4.0	11580.00	4
WR 7044	84 / 0.3	6.0	16690.00	3

Supplied in 180 Mtrs. Project Pack - Colors Available Red, Yellow, Blue, Black & Green. Grey Color on Request.


WR 7056*	28 / 0.3	2.0	6260.00	6
----------	----------	-----	---------	---

* NON ISI

GM FR (Flame Retardant) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **180 mtrs.**


Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7045	32 / 0.2	1.0	3260.00	10
WR 7046	30 / 0.25	1.5	4870.00	8
WR 7047	50 / 0.25	2.5	7770.00	5

Supplied in 180 Mtrs. Project Pack - Colors Available Red, Yellow, Blue, Black & Green. Grey Color on Request.

GM FRLS-H (Flame Retardant Low Smoke) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **90 mtrs.**


Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7063	14 / 0.3	1.0	1690.00	20
WR 7064	22 / 0.3	1.5	2515.00	16
WR 7065	36 / 0.3	2.5	4025.00	10
WR 7066	56 / 0.3	4.0	6020.00	8
WR 7067	84 / 0.3	6.0	8705.00	6
WR 7068	140 / 0.3	10.0	15145.00	3

Supplied in 90 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green.

GM FRLS-H (Flame Retardant Low Smoke) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **180 mtrs.**


Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7069	14 / 0.3	1.0	3380.00	10
WR 7070	22 / 0.3	1.5	5030.00	8
WR 7071	36 / 0.3	2.5	8050.00	5
WR 7072	56 / 0.3	4.0	12040.00	4
WR 7073	84 / 0.3	6.0	17410.00	3
WR 7074	140 / 0.3	10.0	30290.00	2

Supplied in 180 Mtrs. Project Pack - Colors Available Red, Yellow, Blue, Black & Green. Grey Color on Request.

GM FRLS-H (Flame Retardant Low Smoke) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **180 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7106	32 / 0.2	1.0	3380.00	10
WR 7107	30 / 0.25	1.5	5030.00	8
WR 7108	50 / 0.25	2.5	8050.00	5

Supplied in 180 Mtrs. Project Pack - Colors Available Red, Yellow, Blue, Black & Green. Grey Color on Request.

GM HR FR (Heat Retardant Flame Retardant Lead Free) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **90 mtrs.**


Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7101	14 / 0.3	1.0	1780.00	20
WR 7102	22 / 0.3	1.5	2665.00	16
WR 7103	36 / 0.3	2.5	4185.00	10
WR 7104	56 / 0.3	4.0	6125.00	8

Supplied in 90 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green.

GM ZHLS (Zero Halogen Low Smoke) Multi Strand Single Core Unsheathed Flexible Cables in Voltage Grade upto & including 1100 V.  **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7094	14 / 0.3	1.0	1850.00	20
WR 7095	22 / 0.3	1.5	2815.00	16
WR 7096	36 / 0.3	2.5	4395.00	10
WR 7097	56 / 0.3	4.0	6430.00	8

Supplied in 90 Mtrs. Box Pack - Colors Available Red, Yellow, Blue, Black & Green.

GM SUBMERSIBLE PVC Insulated Three Core Flat Flexible Industrial Cable for Pump Motors Voltage Grade 1100 V.  **100 mtrs.**

Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7276	22 / 0.3	1.5	9600.00	4
WR 7277	36 / 0.3	2.5	14710.00	4
WR 7278	56 / 0.3	4.0	22280.00	3
WR 7279	84 / 0.3	6.0	31420.00	2
WR 7280	140 / 0.3	10.0	52380.00	-

Supplied in 100 Mtrs. Cloth & Polythene Wrapping Pack

GM SUBMERSIBLE PVC Insulated Three Core Flat Flexible Industrial Cable for Pump Motors Voltage Grade 1100 V.				500 mtrs.
Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7281	22 / 0.3	1.5	48000.00	-
WR 7282	36 / 0.3	2.5	73550.00	-
WR 7263	56 / 0.3	4.0	111400.00	-
WR 7264	84 / 0.3	6.0	157100.00	-

Supplied in 500 Mtrs. Wooden Drum Pack

GM SUBMERSIBLE PVC Insulated Three Core Flat Flexible Industrial Cable for Pump Motors Voltage Grade 1100 V. HEAVY				500 mtrs.
Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7269	22 / 0.3	1.5	49545.00	-
WR 7270	36 / 0.3	2.5	75530.00	-
WR 7271	56 / 0.3	4.0	114525.00	-
WR 7272	84 / 0.3	6.0	164430.00	-
WR 7274	110 / 0.3	8.0	218975.00	-
WR 7273	140 / 0.3	10.0	272845.00	-

Supplied in 500 Mtrs. Wooden Drum Pack

GM SUBMERSIBLE XLPE Insulated Three Core Flat Cable with Bare Bunched Copper Cond. for Pump Motors Voltage Grade 1100 V.				500 mtrs.
Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7265	22 / 0.3	1.5	56945.00	-
WR 7266	36 / 0.3	2.5	86320.00	-
WR 7267	56 / 0.3	4.0	133895.00	-
WR 7268	84 / 0.3	6.0	195170.00	-

Supplied in 500 Mtrs. Wooden Drum Pack. Also available in 1000 Mtrs. Wooden Drum on Request

GM SUBMERSIBLE PVC Insulated Three Core Flat Flexible Industrial Cable for Pump Motors Voltage Grade 1100 V.				300 mtrs.
Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7283	56 / 0.3	4.0	66840.00	-
WR 7284	84 / 0.3	6.0	94260.00	-
WR 7275	140 / 0.3	10.0	157140.00	-

Supplied in 300 Mtrs. Wooden Drum Pack

GM SUBMERSIBLE PVC Insulated Three Core Flat Flexible Industrial Cable for Pump Motors Voltage Grade 1100 V. HEAVY				300 mtrs.
Product Code	Number / Dia of wire in mm.	Normal Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7253	22 / 0.3	1.5	28955.00	-
WR 7254	36 / 0.3	2.5	44065.00	-
WR 7257	56 / 0.3	4.0	67000.00	-
WR 7286	84 / 0.3	6.0	96545.00	-
WR 7259	110 / 0.3	8.0	128085.00	-
WR 7285	140 / 0.3	10.0	159530.00	-

Supplied in 300 Mtrs. Cloth & Polythene Wrapping Pack

GM CO-AXIAL Cable for CATV Networks				100 mtrs.
Product Code	Description	Type	MRP ₹ Per Coil	Pkg.
WR 7251	RG - 59F	CU	2330.00	8
WR 7252	RG - 06	CU	2840.00	8
WR 7261	RG - 06	CCS	1860.00	8
WR 7255	RG - 11	CU	7395.00	4

Supplied in 100 Mtrs. 2 Coil Box Pack

GM CO-AXIAL Cable for CATV Networks				305 mtrs.
Product Code	Description	Type	MRP ₹ Per Coil	Pkg.
WR 7256	RG - 59F	CU	7105.00	2
WR 7258	RG - 06	CU	8665.00	2
WR 7262	RG - 06	CCS	5675.00	2
WR 7260	RG - 11	CU	22555.00	2

Supplied in 305 Mtrs. Wooden Drum Pack

GM CCTV CABLES				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7565	14 / 0052 (3+1)	-	3590.00	6
WR 7566	14 / 0052 (4+1)	-	3865.00	6

Supplied in 90 Mtrs. Polythene Wrapping Pack

GM PVC INSULATED TWIN FLAT / TWIN PARALLEL Copper Wire				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7570	23 / 0060	Twin Flat	2045.00	10
WR 7571	23 / 0060	Twin Parallel	1790.00	12

Supplied in 90 Mtrs. Pouch Pack

GM FLEXIBLE PVC Insulated Twin Twisted Copper Wire				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7582	10 / 0076	Serial Wire	1005.00	24
WR 7583	10 / 0076	Tin Coated	1090.00	24
WR 7584	14 / 0052	Heavy	995.00	20
WR 7586	23 / 0052	Heavy	1415.00	20
WR 7588	35 / 0048	Heavy	1935.00	10
WR 7590	23 / 0076	Twin Twisted	2010.00	20

Supplied in 90 Mtrs. Pouch Pack

GM SPEAKER WIRE Twin Parallel TCBC				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7601	14 / 0060	TCBC	1230.00	20
WR 7602	23 / 0060	TCBC	1860.00	20
WR 7603	40 / 0060	TCBC	3620.00	7
WR 7604	23 / 0060	CCA	1745.00	20
WR 7605	40 / 0060	CCA	2910.00	10

Supplied in 90 Mtrs. Pouch Pack

GM ROUND Flexible PVC Insulated Sheathed Copper Wire				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7450	23 / 0060	2 Core	2305.00	7
WR 7451	23 / 0060	3 Core	3465.00	6
WR 7452	40 / 0060	2 Core	3620.00	6
WR 7453	40 / 0060	3 Core	5325.00	5

Supplied in 90 Mtrs. Polythene Wrapping Pack

GM ROUND SILK / COTTON Braided Copper Wire				90 mtrs.
Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7625	23 / 0060	2 Core	2480.00	5
WR 7626	23 / 0060	3 Core	3360.00	4
WR 7627	23 / 0076	2 Core	3205.00	5
WR 7628	23 / 0076	3 Core	4465.00	4

Supplied in 90 Mtrs. Pouch Pack or Polythene Wrapping Pack



GM COMPUTER & LAN NETWORK UTP Cable **305 mtrs.**

Product Code	Number / Dia of wire in mm.	Type	MRP ₹ Per Coil	Pkg.
WR 7555	CAT 5e UTP	-	11015.00	4
WR 7556	CAT 6e UTP	-	13490.00	2
WR 7557	CAT 6 UTP	-	11800.00	2
WR 7559	CAT 5e	SFTP	16595.00	-
WR 7560	CAT 6e	SFTP	19915.00	-

Supplied in 305 Mtrs. Box Pack

GM PVC Insulated sheathed SINGLE CORE SOLID Aluminium Cable upto & including 1100 V= **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7326	1 / 0.070	2.5	975.00	-
WR 7327	1 / 0.089	4.0	1310.00	-
WR 7328	1 / 0.110	6.0	1750.00	-
WR 7329	1 / 0.140	10.0	2405.00	-

Supplied in 90 Mtrs. Pouch Pack & Polythene Wrapping Pack

GM SINGLE CORE PVC Insulated Aluminium Conductor Sheathed Weather Proof Service Wire (Black) **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7287	7 / 0.036 (7/20)	4.5	1625.00	7
WR 7288	7 / 0.044 (7/18)	6.0	2070.00	6
WR 7289	7 / 0.064 (7/16)	16.0	3645.00	5
WR 7290	7 / 0.083 (7/14) Economy	25.0	5815.00	4
WR 7317	7 / 0.088 (7/14) Heavy	25.0	7690.00	4
WR 7291	19 / 0.064 (19/16)	50.0	8535.00	2
WR 7292	19 / 0.083 (19/14)	70.0	12650.00	2
WR 7293	37 / 0.064 (37/16)	95.0	14595.00	1
WR 7294	37 / 0.083 (37/14)	125.0	23240.00	1

Supplied in 100 Yds. Cloth & Polythene Wrapping Pack

GM SINGLE CORE PVC Insulated Aluminium Conductor Sheathed Weather Proof Service Wire (Black) **450 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7295	7 / 0.036 (7/20)	4.5	8125.00	2
WR 7296	7 / 0.044 (7/18)	6.0	10350.00	2
WR 7297	7 / 0.064 (7/16)	16.0	18225.00	1
WR 7300	7 / 0.083 (7/14) Economy	25.0	29075.00	1
WR 7301	7 / 0.088 (7/14) Heavy	25.0	30710.00	1

Supplied in 500 Yds. Cloth & Polythene Wrapping Pack

GM SINGLE CORE PVC Insulated Aluminium Conductor Sheathed Weather Proof Service Wire (Black) **270 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7298	7 / 0.083 (7/14) Economy	25.0	17445.00	1
WR 7302	7 / 0.088 (7/14) Heavy	25.0	18745.00	1

Supplied in 300 Yds. Cloth & Polythene Wrapping Pack

GM TWIN FLAT PVC Insulated Aluminium Conductor Sheathed Weather Proof Service Wire WPTC (Available in Black & White) **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7311	7 / 0.036 (7/20)	4.5	3430.00	4
WR 7312	7 / 0.044 (7/18)	6.0	4140.00	4
WR 7313	7 / 0.064 (7/16)	16.0	7425.00	3

Supplied in 100 Yds. Cloth & Polythene Wrapping Pack

GM TWIN FLAT PVC Insulated Aluminium Conductor Sheathed Weather Proof Service Wire WPTC (Available in Black & White) **450 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Area of Cond. Sq. mm.	MRP ₹ Per Coil	Pkg.
WR 7314	7 / 0.036 (7/20)	4.5	17150.00	1
WR 7315	7 / 0.044 (7/18)	6.0	20700.00	1
WR 7316	7 / 0.064 (7/16)	16.0	37125.00	1

Supplied in 500 Yds. Cloth & Polythene Wrapping Pack

GM TELEPHONE & SWITCHBOARD Cable as per g/wir 03/03, 06/03 & itd s/ws 113b **450 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Pairs	MRP ₹ Per Coil	Pkg.
WR 7232	0.50	1 Pair	5125.00	2
WR 7233	0.50	2 Pairs	9100.00	2

Supplied in 450 Mtr. Wooden Drum

GM TELEPHONE & SWITCHBOARD Cable as per g/wir 03/03, 06/03 & itd s/ws 113b **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Pairs	MRP ₹ Per Coil	Pkg.
WR 7235	0.40	1 Pair	755.00	20
WR 7236	0.40	2 Pairs	1340.00	14

Supplied in 90 Mtr. Pouch Pack

GM TELEPHONE & SWITCHBOARD Cable as per g/wir 03/03, 06/03 & itd s/ws 113b **450 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Pairs	MRP ₹ Per Coil	Pkg.
WR 7237	0.40	1 Pair	3775.00	-
WR 7238	0.40	2 Pairs	6700.00	-

Supplied in 450 Mtr. Wooden Drum

GM TELEPHONE & SWITCHBOARD Cable as per g/wir 03/03, 06/03 & itd s/ws 113b **90 mtrs.**

Product Code	Number / Dia of wire in mm.	Nom. of Pairs	MRP ₹ Per Coil	Pkg.
WR 7202	0.50	1 Pair	1025.00	-
WR 7203	0.50	2 Pairs	1820.00	-
WR 7204	0.50	3 Pairs	2780.00	-
WR 7205	0.50	4 Pairs	3610.00	-
WR 7206	0.50	5 Pairs	4530.00	-
WR 7207	0.50	6 Pairs	5505.00	-
WR 7208	0.50	7 Pairs	6405.00	-
WR 7209	0.50	8 Pairs	7385.00	-
WR 7210	0.50	10 Pairs	9420.00	-
WR 7211	0.50	12 Pairs	11315.00	-
WR 7212	0.50	15 Pairs	13425.00	-
WR 7213	0.50	20 Pairs	18990.00	-
WR 7214	0.50	25 Pairs	21440.00	-

Supplied in 90 Mtr. Polythene Wrapping Pack

GM MULTI CORE ROUND FR PVC Insulated Copper Conductor Sheathed Black Cables in Voltage Grade upto & including 1100 V with Bright Annealed Copper based on ISO: 694 : 1990 **100 mtrs.**

Product Code	Number / Dia of wire in mm.	No. of Core	No. of Strands Dia. of Strands	MRP ₹ Per Coil	Pkg.
WR 7401	0.50	2 Core	16 / 0.20	2680.00	-
WR 7402	0.50	3 Core	16 / 0.20	3715.00	-
WR 7403	0.50	4 Core	16 / 0.20	4770.00	-
WR 7404	0.75	2 Core	24 / 0.20	3305.00	-
WR 7405	0.75	3 Core	24 / 0.20	4510.00	-
WR 7406	0.75	4 Core	24 / 0.20	5805.00	-
WR 7407	1.00	2 Core	32 / 0.20	4745.00	-
WR 7408	1.00	3 Core	32 / 0.20	6625.00	-

Supplied in 100 Mtr. Cloth & Polythene Wrapping Pack

GM MULTI CORE ROUND FR PVC Insulated Copper Conductor Sheathed Black Cables in Voltage Grade upto & including 1100 V with Bright Annealed Copper based on ISO: 694 : 1990  **100 mtrs.**


Product Code	Number / Dia of wire in mm.	No. of Core	No. of Strands Dia. of Strands	MRP ₹ Per Coil	Pkg.
WR 7409	1.00	4 Core	32 / 0.20	8420.00	-
WR 7410	1.50	2 Core	30 / 0.25	6375.00	5
WR 7411	1.50	3 Core	30 / 0.25	8715.00	4
WR 7412	1.50	4 Core	30 / 0.25	11480.00	3
WR 7413	2.50	2 Core	50 / 0.25	10095.00	4
WR 7414	2.50	3 Core	50 / 0.25	14115.00	3
WR 7415	2.50	4 Core	50 / 0.25	18735.00	2
WR 7416	4.00	2 Core	56 / 0.30	15835.00	3
WR 7417	4.00	3 Core	56 / 0.30	22835.00	2
WR 7418	4.00	4 Core	56 / 0.30	29830.00	1
WR 7419	6.00	2 Core	84 / 0.30	23410.00	-
WR 7420	6.00	3 Core	84 / 0.30	34135.00	-
WR 7421	6.00	4 Core	84 / 0.30	44025.00	-
WR 7422	10.00	3 Core	140 / 0.30	57440.00	-
WR 7423	10.00	4 Core	140 / 0.30	74735.00	-
WR 7424	16.00	3 Core	101 / 0.45	106105.00	-
WR 7425	16.00	4 Core	101 / 0.45	136105.00	-
WR 7426	25.00	3 Core	168 / 0.45	169100.00	-
WR 7427	25.00	4 Core	168 / 0.45	222610.00	-
WR 7428	35.00	3 Core	220 / 0.45	225810.00	-
WR 7429	35.00	4 Core	220 / 0.45	302160.00	-

Supplied in 100 Mtr. Cloth & Polythene Wrapping Pack

GM VIR PVC Insulated unsheathed solid twisted copper wire voltage grade 1100 V. **90 mtrs.**

Product Code	Number / Dia of wire in mm.	S.W.G.	MRP ₹ Per Coil	Pkg.
WR 7075	1 / 044	1 / 18	1745.00	-
WR 7076	1 / 040	1 / 19	1505.00	-
WR 7077	1 / 036	1 / 20	1300.00	-
WR 7078	1 / 032	1 / 21	1110.00	-
WR 7079	3 / 036 (Heavy)	3 / 20	3400.00	-
WR 7080	3 / 036 (Economy)	3 / 20	2945.00	-
WR 7082	7 / 036	7 / 20	7505.00	-
WR 7083	7 / 044	7 / 18	11035.00	-
WR 7084	7 / 064 (Heavy)	7 / 16	22240.00	-
WR 7085	7 / 064 (Economy)	7 / 16	20760.00	-
WR 7086	19 / 044	19 / 18	30360.00	-
WR 7087	19 / 064 (Heavy)	19 / 16	62250.00	-
WR 7088	19 / 064 (Economy)	19 / 16	55770.00	-
WR 7089	19 / 083	19 / 14	105155.00	-

Supplied in 90 Mtr. Cloth & Polythene Wrapping Pack

GM MULTI CORE ROUND FR LS PVC Insulated Copper Conductor Sheathed Black Cables in Voltage Grade upto & including 1100 V with Bright Annealed Copper based on ISO: 694 : 1990  **100 mtrs.**

Product Code	Number / Dia of wire in mm.	No. of Core	No. of Strands Dia. of Strands	MRP ₹ Per Coil	Pkg.
WR 7109	1.50	2 Core	30 / 0.25	8260.00	5
WR 7110	1.50	3 Core	30 / 0.25	11300.00	4
WR 7111	1.50	4 Core	30 / 0.25	14810.00	3
WR 7112	2.50	2 Core	50 / 0.25	13145.00	4
WR 7113	2.50	3 Core	50 / 0.25	18380.00	3
WR 7114	2.50	4 Core	50 / 0.25	24460.00	2

Supplied in 100 Mtr. Cloth & Polythene Wrapping Pack

Note: GM will not be liable for damages arising due to incorrect installation. The above data is indicative and may be revised without prior intimation.



**SAFEGUARD
YOUR
WORLD**



Our exclusive experience centres

INDIA

Mumbai

Andheri

G-6, Laxmi Industrial Estate,
Opp. Laxmi Chhaya Hotel,
New Link Road, Andheri (W)
Mumbai - 400 053, Maharashtra.
Email: info@gmmodular.com
Contact: +91 88799 18221

Kolkata

39/40, Ezra Street, Ground Floor,
Kolkata - 700 001, West Bengal.
Email: info@gmmodular.com
Contact: 033 4060 2048

Lohar Chawl

Shop No.1 Plot No. 151/153,
Bhabha Building, Lohar Chawl,
Mumbai - 400 002, Maharashtra.
Email: info@gmmodular.com
Contact: 022 2206 6545

Ranchi

Mahavir Chowk, Upper Bazar,
Ranchi - 834 001, Jharkhand.
Email: info@gmmodular.com
Contact: 065 1355 1309 /
+91 94715 55599

Bengaluru

460/ 20/ 1, 30th Cross,
8th B Main Road, 4th Block,
Beside Jain Temple, Jayanagar
Bengaluru - 560 011, Karnataka.
Email: info@gmmodular.com
Contact: 080 4097 1188

Tirunelveli

48, Raja Building,
Tirunelveli - 627 001, Tamil Nadu.
Email: info@gmmodular.com
Contact: +91 94431 51008

Belgaum

Shop No. 571, Bhati Tower,
Patil Galli, Belgaum - 590 001,
Karnataka.
Email: info@gmmodular.com
Contact: +91 99453 33107

Coimbatore

22, Mill Road, Below ICICI Bank,
Coimbatore - 641 001,
Tamil Nadu.
Email: info@gmmodular.com
Contact: +91 99523 07025

Hyderabad

No. 5-5-84/87, Shop No. 2&3,
Kalpakunj Apartment, Jambaug,
Hyderabad - 500 012, Telangana.
Email: info@gmmodular.com
Contact: 040 2473 4545

Puducherry

No. 298, J.N. Street,
Opp. to Sony Centre Showroom,
Puducherry - 605001
Email: info@gmmodular.com
Contact: +041345 00222

Vijayawada

K. S Vyas Complex, Opp. Indira
Gandhi Municipal Stadium,
MG Road, Vijayawada - 520 010,
Andhra Pradesh.
Email: info@gmmodular.com
Contact: +91 86624 99945

Calicut

GM Avenue, 2nd Floor,
Red Cross Road,
Calicut 673 032, Kerala.
Email: info@gmmodular.com
Contact: 049 5277 3500

Jalore

Near Kanchangiri Jain Temple,
Opp. Haridev Joshi Circle,
Bagoda Road, Jalore - 343 001,
Rajasthan.
Email: info@gmmodular.com
Contact: +91 79769 79283
+91 029732 22288

UAE - Dubai

GMM Electricals LLC.
Al Owais Business Tower
Mezzanine Floor, Shop No-14,
Baniyas Street, Deira-Dubai, UAE
Email:vishal.kothari@gmmodular.com
Contact: +971503786596

Bhilwara

G-4, Govindram Commercial Hub,
Old RTO Road,
Bhilwara - 311 001, Rajasthan.
Email: info@gmmodular.com
Contact: +91 89550 48560

SPAIN - Madrid

GMM Electric Europe S.A.
Calle Valdeon 28, 28947 Fuentlabrada.
Madrid (Spain)
Email: info@gmmelectric.com
Contact: +34677 62 09 45
Website: www.gmmelectric.com

Noida

D-140, Sector 63,
Near Dainik Bhaskar Office,
Noida - 201301, Uttar Pradesh.
Email: info@gmmodular.com
Contact: +91 99501 52527





Giving you our best

GM has been extending innovative technology and luxury experiences for more than two decades. Our years of experience and expertise provide invaluable benefits for our production facility in Mumbai as well as in close co-operation with our global suppliers. It is of vital importance to us that we only work with suppliers that share our commitment to high quality. That is why our association has always been with talented, creative designers who have a responsible attitude towards design. And that is why we carefully select our suppliers so that we can work closely with them and supervise the whole production affair.

To achieve a perfect balance between carefully selected raw materials, beautiful design, functionality and good value is our moto. Every little piece, detail, line and material has been meticulously considered to ensure that the end result will work wonders in your home.

The entire GM product range catalogue can be found online on our website www.gmmodular.com.

You can follow GM on Facebook, Twitter, Instagram, YouTube and LinkedIn.



GM WR PLT OCT 21