

# LEADERS

— IN QUALITY —

# LEADERS

IN DEPENDABILITY



#### Residential & Commercial

Flame Retardant (FR) PVC Insulated  
Industrial Cables  
Flamegard - Flame Retardant Low Smoke  
(FR-LSH) Industrial Cables  
Halogard - Halogen Free Flame Retardant  
(HFFR) Industrial Cables  
Flexible Cables Single Core

#### Communication Cables

Co-axial Cables  
Telephone Cables  
CCTV Cables  
Speaker Cables  
LAN Cables  
Optic Fibre Cables (HSN - 9001)


#### Agriculture

3 Core Flat Cables  
PVC Insulated Winding Wires

#### Automobile/Solar Power

Auto Cables  
Solar Cables

(HSN Code : 8544)



## Residential & Commercial

---



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables

List Price wef. 14 Jan 2026

## FINOULTRA



| FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES                                                                                                                                                  |                         |                                |                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------|----------------------------------------|
| FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018 |                         |                                |                                        |
| Product Code                                                                                                                                                                                                           | Conductor Area (sq.mm.) | List Price per 90 m coil (Rs.) | No. of Coils packed in a Master Carton |
| 10452                                                                                                                                                                                                                  | 0.75                    | 1,860                          | 20                                     |
| 10453                                                                                                                                                                                                                  | 1.0                     | 2,375                          | 20                                     |
| 10454                                                                                                                                                                                                                  | 1.5                     | 3,585                          | 12                                     |
| 10455                                                                                                                                                                                                                  | 2.5                     | 5,775                          | 12                                     |
| 10456                                                                                                                                                                                                                  | 4.0                     | 8,615                          | 8                                      |
| 10457                                                                                                                                                                                                                  | 6.0                     | 12,875                         | 4                                      |

## Flame Retardant (FR) PVC Insulated Industrial Cables

**GOLD PACK**



| FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES                                                                                                                      |                         |                                |                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------|----------------------------------------|
| FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010 |                         |                                |                                        |
| Product Code                                                                                                                                                                      | Conductor Area (sq.mm.) | List Price per 90 m coil (Rs.) | No. of Coils packed in a Master Carton |
| 10302                                                                                                                                                                             | 0.75                    | 1,750                          | 20                                     |
| 10303                                                                                                                                                                             | 1.0                     | 2,405                          | 20                                     |
| 10304                                                                                                                                                                             | 1.5                     | 3,535                          | 12                                     |
| 10305                                                                                                                                                                             | 2.5                     | 5,635                          | 12                                     |
| 10306                                                                                                                                                                             | 4.0                     | 8,275                          | 8                                      |
| 10307                                                                                                                                                                             | 6.0                     | 12,390                         | 4                                      |

## Flame Retardant (FR) PVC Insulated Industrial Cables



### SILVER PACK

#### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

#### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

| Product Code | Conductor Area (sq.mm.) | List Price per 90 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|--------------------------------|----------------------------------------|
| 10302        | 0.75                    | 1,720                          | 20                                     |
| 10303        | 1.0                     | 2,165                          | 20                                     |
| 10304        | 1.5                     | 3,230                          | 12                                     |
| 10305        | 2.5                     | 5,220                          | 12                                     |
| 10306        | 4.0                     | 7,990                          | 8                                      |
| 10307        | 6.0                     | 12,060                         | 4                                      |

#### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

| Product Code | Conductor Area (sq.mm.) | List Price per 180 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|---------------------------------|----------------------------------------|
| 10312016     | 0.75                    | 3,290                           | 8                                      |
| 10313        | 1.0                     | 4,275                           | 8                                      |
| 10314        | 1.5                     | 6,240                           | 6                                      |
| 10315        | 2.5                     | 10,125                          | 4                                      |
| 10306016     | 4.0                     | 15,770                          | 4                                      |
| 10307016     | 6.0                     | 23,695                          | 4                                      |

#### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

| Product Code | Conductor Area (sq.mm.) | List Price per 45 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|--------------------------------|----------------------------------------|
| 10313        | 1.0                     | 1,105                          | 30                                     |
| 10314        | 1.5                     | 1,610                          | 24                                     |
| 10315        | 2.5                     | 2,615                          | 24                                     |
| 10316        | 4.0                     | 4,065                          | 12                                     |
| 10317        | 6.0                     | 6,105                          | 8                                      |

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

| FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING |                         |                                 |                                        |
|----------------------------------------------------------------------------|-------------------------|---------------------------------|----------------------------------------|
| Product Code                                                               | Conductor Area (sq.mm.) | List Price per 300 m coil (Rs.) | No. of Coils packed in a Master Carton |
| 10312017                                                                   | 0.75                    | 5,485                           | 8                                      |
| 10313017                                                                   | 1.0                     | 7,125                           | 8                                      |
| 10314017                                                                   | 1.5                     | 10,400                          | 6                                      |
| 10315017                                                                   | 2.5                     | 16,875                          | 4                                      |

| FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING |                         |                                 |                                        |
|----------------------------------------------------------------------------|-------------------------|---------------------------------|----------------------------------------|
| Product Code                                                               | Conductor Area (sq.mm.) | List Price per 200 m coil (Rs.) | No. of Coils packed in a Master Carton |
| 10306015                                                                   | 4.0                     | 17,520                          | 4                                      |
| 10307015                                                                   | 6.0                     | 26,330                          | 4                                      |

## Flamegard

### Flame Retardant

### Low Smoke(FR-LSH)



#### FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

| Product Code | Conductor Area (sq.mm.) | List Price per 90 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|--------------------------------|----------------------------------------|
| 10112013     | 0.75                    | 1,760                          | 20                                     |
| 10113        | 1.0                     | 2,285                          | 20                                     |
| 10114        | 1.5                     | 3,315                          | 12                                     |
| 10115        | 2.5                     | 5,315                          | 12                                     |
| 10106        | 4.0                     | 8,270                          | 8                                      |
| 10107        | 6.0                     | 12,370                         | 4                                      |

#### FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

| Product Code | Conductor Area (sq.mm.) | List Price per 180 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|---------------------------------|----------------------------------------|
| 10112016     | 0.75                    | 3,325                           | 8                                      |
| 10113016     | 1.0                     | 4,315                           | 8                                      |
| 10114016     | 1.5                     | 6,305                           | 6                                      |
| 10115016     | 2.5                     | 10,225                          | 4                                      |
| 10106016     | 4.0                     | 15,880                          | 4                                      |
| 10107016     | 6.0                     | 23,870                          | 4                                      |

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 14 Jan 2026



## Halogen Free Flame Retardant (HFFR) Industrial Cables



### HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES  
IN VOLTAGE GRADE UPTO 1100V

### HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

| Product Code | Conductor Area (sq.mm.) | List Price per 90 m coil (Rs.) | No. of Coils packed in a Master Carton |
|--------------|-------------------------|--------------------------------|----------------------------------------|
| 10412013     | 0.75                    | 1,805                          | 20                                     |
| 10403        | 1.0                     | 2,325                          | 20                                     |
| 10404        | 1.5                     | 3,390                          | 12                                     |
| 10405        | 2.5                     | 5,475                          | 12                                     |
| 10406        | 4.0                     | 8,460                          | 8                                      |
| 10407        | 6.0                     | 12,660                         | 4                                      |



## Flexible Cables

List Price wef. 14 Jan 2026

### FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

#### SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

| Product Code | Conductor Area (sq.mm.) | FR LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|---------------------------|-----------------------------|
| 14001        | 0.50                    | 1,255                     | 1,285                       |
| 14002        | 0.75                    | 1,820                     | 1,865                       |
| 14003        | 1.00                    | 2,335                     | 2,395                       |
| 14104        | 1.50                    | 3,450                     | 3,535                       |
| 14105        | 2.50                    | 5,610                     | 5,750                       |
| 14206        | 4.00                    | 8,685                     | 8,900                       |

#### SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

| Product Code | Conductor Area (sq.mm.) | FR LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|---------------------------|-----------------------------|
| 14207        | 6                       | 13,020                    | 13,345                      |
| 14208        | 10                      | 22,435                    | 22,995                      |
| 14209        | 16                      | 35,430                    | 36,315                      |
| 14210        | 25                      | 55,395                    | 56,780                      |
| 14211        | 35                      | 77,370                    | 79,305                      |
| 14212        | 50                      | 109,700                   | 112,440                     |
| 14513        | 70                      | 159,930                   | 163,930                     |
| 14514        | 95*                     | 211,500                   | 216,785                     |
| 14515        | 120*                    | 271,675                   | 278,465                     |
| 14516        | 150*                    | 336,460                   | 344,870                     |
| 14517        | 185*                    | 415,880                   | 426,275                     |
| 14518        | 240*                    | 546,845                   | 560,515                     |

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

| FLEXIBLE CABLES - MULTICORE                                                                                                                                   |                         |                        |                             |              |                         |                        |                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR<br>FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010 |                         |                        |                             |              |                         |                        |                             |
| TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black                                                |                         |                        |                             |              |                         |                        |                             |
| Product Code                                                                                                                                                  | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
| 17002                                                                                                                                                         | 0.50                    | 3,105                  | 3250                        | 17102        | 1.5                     | 7,550                  | 7740                        |
| 17002                                                                                                                                                         | 0.75                    | 4,340                  | 4505                        | 17102        | 2.5                     | 12,305                 | 12615                       |
| 17002                                                                                                                                                         | 1.00                    | 5,450                  | 5620                        | 17202        | 4                       | 19,300                 | 19785                       |

| THREE CORE (Unsheathed): Three single cores laid up & overall round sheathedwith PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black. |                         |                        |                             |              |                         |                        |                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| Product Code                                                                                                                                                                 | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
| 17003                                                                                                                                                                        | 0.50                    | 4,345                  | 4500                        | 17103        | 1.5                     | 10,760                 | 11030                       |
| 17003                                                                                                                                                                        | 0.75                    | 6,035                  | 6200                        | 17103        | 2.5                     | 17,395                 | 17830                       |
| 17003                                                                                                                                                                        | 1.00                    | 7,675                  | 7865                        | 17203        | 4                       | 27,670                 | 28360                       |

| FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black. |                         |                        |                             |              |                         |                        |                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| Product Code                                                                                                                                                                    | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
| 17004                                                                                                                                                                           | 0.50                    | 5,585                  | 5,755                       | 17104        | 1.5                     | 14,200                 | 14,555                      |
| 17004                                                                                                                                                                           | 0.75                    | 7,790                  | 7,985                       | 17104        | 2.5                     | 23,230                 | 23,810                      |
| 17004                                                                                                                                                                           | 1.00                    | 9,915                  | 10,165                      | 17204        | 4                       | 36,460                 | 37,370                      |

**Packaging :** Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES\*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colourand Yellow/Green is for earthing. Colour of sheath - Black.

| SIX CORE* (Unsheathed): (There will be one dummy core in the centre) |                         |                        |                             |              |                         |                        |                             |
|----------------------------------------------------------------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| Product Code                                                         | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
| 17006                                                                | 0.50                    | 8,340                  | 8565                        | 17106        | 1.5                     | 21,695                 | 22235                       |
| 17006                                                                | 0.75                    | 11,830                 | 12125                       | 17106        | 2.5                     | 34,895                 | 35765                       |
| 17006                                                                | 1.00                    | 15,545                 | 15935                       | 17206        | 4                       | 54,985                 | 56360                       |

**SEVEN CORES (1+6)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17008        | 0.50                    | 9,830                  | 10075                       | 17108        | 1.50                    | 24,695                 | 25310                       |
| 17008        | 0.75                    | 13,820                 | 14165                       | 17108        | 2.50                    | 40,830                 | 41850                       |
| 17008        | 1.00                    | 17,655                 | 18095                       | 17208        | 4.00                    | 63,765                 | 65360                       |

**EIGHT CORES\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17008        | 0.50                    | 10,870                 | 11140                       | 17108        | 1.50                    | 28,515                 | 29230                       |
| 17008        | 0.75                    | 15,450                 | 15835                       | 17108        | 2.50                    | 45,920                 | 47070                       |
| 17008        | 1.00                    | 19,915                 | 20415                       | 17208        | 4.00                    | 72,795                 | 74615                       |

**TEN CORES (2+8)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17010        | 0.50                    | 13,620                 | 13,960                      | 17110        | 1.50                    | 35,360                 | 36245                       |
| 17010        | 0.75                    | 19,475                 | 19,960                      | 17110        | 2.50                    | 57,540                 | 58980                       |
| 17010        | 1.00                    | 24,890                 | 25,510                      | 17210        | 4.00                    | 90,470                 | 92730                       |

**TWELVE CORES (3+9)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17012        | 0.50                    | 16,020                 | 16,420                      | 17112        | 1.50                    | 42,160                 | 43215                       |
| 17012        | 0.75                    | 23,195                 | 23,775                      | 17112        | 2.50                    | 68,320                 | 70030                       |
| 17012        | 1.00                    | 29,655                 | 30,395                      | 17212        | 4.00                    | 108,155                | 110860                      |

**FOURTEEN CORES (4+10)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17014        | 0.50                    | 17,890                 | 18,335                      | 17114        | 1.50                    | 49,085                 | 50310                       |
| 17014        | 0.75                    | 25,855                 | 26,500                      | 17114        | 2.50                    | 79,395                 | 81380                       |
| 17014        | 1.00                    | 34,355                 | 35,215                      | 17214        | 4.00                    | 125,755                | 128900                      |

**SIXTEEN CORES (8+11)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17016        | 0.50                    | 20,775                 | 21,295                      | 17116        | 1.50                    | 55,135                 | 56515                       |
| 17016        | 0.75                    | 29,580                 | 30,320                      | 17116        | 2.50                    | 90,490                 | 92750                       |
| 17016        | 1.00                    | 38,345                 | 39,305                      | 17216        | 4.00                    | 143,840                | 147435                      |

**NINETEEN CORES (1+6+12)\***

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17019        | 0.50                    | 24,455                 | 25,065                      | 17119        | 1.5                     | 65,235                 | 66865                       |
| 17019        | 0.75                    | 35,740                 | 36,635                      | 17119        | 2.5                     | 106,700                | 109365                      |
| 17019        | 1.00                    | 45,385                 | 46,520                      | 17219        | 4                       | 170,065                | 174315                      |

**Note: The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M**

**FLEXIBLE CABLES - MULTICORE HEAVY DUTY**

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

**3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)**

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17203074     | 6                       | 41,215                 | 42,245                      | 17203124     | 50*                     | 341,740                | 350285                      |
| 17203084     | 10                      | 70,200                 | 71,955                      | 17503134     | 70*                     | 485,315                | 497450                      |
| 17203094     | 16*                     | 109,760                | 112,505                     | 17503144     | 95*                     | 640,550                | 656565                      |
| 17203104     | 25*                     | 170,025                | 174,275                     | 17503154     | 120*                    | 855,690                | 877080                      |
| 17203114     | 35*                     | 238,660                | 244,625                     |              |                         |                        |                             |

**4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)**

| Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) | Product Code | Conductor Area (sq.mm.) | LP Per 100M Coil (Rs.) | FRLS LP Per 100M Coil (Rs.) |
|--------------|-------------------------|------------------------|-----------------------------|--------------|-------------------------|------------------------|-----------------------------|
| 17204074     | 6                       | 53,950                 | 55,300                      | 17204124     | 50*                     | 450,085                | 461335                      |
| 17204084     | 10                      | 92,395                 | 94,705                      | 17504134     | 70*                     | 643,225                | 659305                      |
| 17204094     | 16*                     | 143,595                | 147,185                     | 17504144     | 95*                     | 850,085                | 871335                      |
| 17204104     | 25*                     | 225,525                | 231,165                     | 17504154     | 120*                    | 1,111,480              | 1139265                     |
| 17204114     | 35*                     | 315,845                | 323,740                     |              |                         |                        |                             |

**Note: The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M**

**Finolex**



## Communication Cables



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables

## COAXIAL CABLES - JELLY



### COAXIAL CABLES - JELLY

| Type     | 100 m coil       | 305 m drum       |
|----------|------------------|------------------|
|          | List Price (Rs.) | List Price (Rs.) |
| RG 59 CU | 2,270            | 6,924            |
| RG 6 CU  | 3,165            | 9,653            |
| RG 11 CU | 7,380            | 22,509           |

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethylene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

| Type      | 100 m coil       | 305 m drum       |
|-----------|------------------|------------------|
|           | List Price (Rs.) | List Price (Rs.) |
| RG 6 CCS  | 1,790            | 5,460            |
| RG 11 CCS | 3,620            | 11,041           |

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

| Type              | 90 m coil        |
|-------------------|------------------|
|                   | List Price (Rs.) |
| RG 6 CCS Eco Lite | 1,210            |

Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black

| Type      | 100 m coil       | 305 m drum       |
|-----------|------------------|------------------|
|           | List Price (Rs.) | List Price (Rs.) |
| RG 11 CCA | 4,065            | 12398            |

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethylene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.



## CCTV Cable

| Product Code | Product Description                     | Unit    | List Price (Rs.) |
|--------------|-----------------------------------------|---------|------------------|
| 65913013     | RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR | 90 Mtr  | 4,105            |
| 65913018     | RG59 JFX1+3X0.15SQMM CCTV WHITE 305M    | 305 Mtr | 13,911           |
| 65914013     | RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M  | 90 Mtr  | 4,515            |
| 65914018     | RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M | 305 Mtr | 15,301           |
| 65916013     | RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M  | 90 Mtr  | 5,080            |
| 65916018     | RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M | 305 Mtr | 17,216           |
| 65923033     | CCTV CABLE GEN Z (3+1) 90 M             | 90 Mtr  | 2,325            |
| 65923036     | CCTV CABLE GEN Z (3+1) 180 M            | 180 Mtr | 4,570            |
| 65924033     | CCTV CABLE GEN Z (4+1) 90 M             | 90 Mtr  | 2,615            |
| 65924036     | CCTV CABLE GEN Z (4+1) 180 M            | 180 Mtr | 5,170            |
| 65913033     | CCTV CABLE (3+1) 90 MTR                 | 90 Mtr  | 2,645            |
| 65913036     | CCTV CABLE (3+1) 180 MTR                | 180 Mtr | 5,220            |
| 65914033     | CCTV CABLE (4+1) 90 MTR                 | 90 Mtr  | 2,980            |
| 65914036     | CCTV CABLE (4+1) 180 MTR                | 180 Mtr | 5,900            |

# Telephone Cable



## TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

| Product Code | Type   | LP Per 90Mtr (Rs.) | Product Code | Type     | LP Per 90Mtr (Rs.) |
|--------------|--------|--------------------|--------------|----------|--------------------|
| 31050013     | 1 pair | 1,120              | 31050103     | 10 pair  | 9,950              |
| 31050023     | 2 pair | 2,000              | 31050203     | 20 pair  | 18,800             |
| 31050033     | 3 pair | 2,920              | 31050503     | 50 pair  | 46,690             |
| 31050043     | 4 pair | 3,865              | 31051001     | 100 pair | 90,505             |
| 31050053     | 5 pair | 4,820              |              |          |                    |

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high

| Product Code | Type   | LP Per 90Mtr (Rs.) | Product Code | Type     | LP Per 90Mtr (Rs.) |
|--------------|--------|--------------------|--------------|----------|--------------------|
| 31040013     | 1 pair | 750                | 31040103     | 10 pair  | 6,860              |
| 31040023     | 2 pair | 1,385              | 31040203     | 20 pair  | 12,795             |
| 31040033     | 3 pair | 2,015              | 31040503     | 50 pair  | 32,015             |
| 31040043     | 4 pair | 2,600              | 31041001     | 100 pair | 60,025             |
| 31040053     | 5 pair | 3,210              |              |          |                    |

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 14 Jan 2026



## LAN Cable


| Product Code | Product Description                   | Unit    | List Price (Rs.) |
|--------------|---------------------------------------|---------|------------------|
| 32105048     | UTP-4 Pair CAT 5 Enhanced LAN Cable   | 305 Mtr | 12,610           |
| 32255042     | 0.5x4P UTP CAT-6 LAN *YLW * 305M      | 305 Mtr | 15,915           |
| 32245042     | 0.5x4P UTP CAT-6 LAN *GRY * 305M      | 305 Mtr | 15,915           |
| 32275042     | 0.5x4P UTP CAT-6 LAN *BLU * 305M      | 305 Mtr | 15,915           |
| 32265042     | 0.5x4P UTP CAT-6 LAN *GRN * 305M      | 305 Mtr | 15,915           |
| 32925048     | 0.5x4 Pair CAT-5 (E) CCA LAN Cable    | 305 Mtr | 7,515            |
| 32105028     | 0.5x2 Pair UTP CAT-5 E LAN Cable 250M | 250 Mtr | 4,945            |
| 32955048     | 0.5x4P UTP CAT-6 CCA LAN 305 Mtr      | 305 Mtr | 10,395           |
| 32206048     | 4P 23AWG UTP -CAT6A LAN GRY           | 305 Mtr | 21,410           |
| 32245044     | 0.5 x4P CAT6 LAN GRY 100M X 2         | 100 Mtr | 4,955            |
| 32255248     | 0.5x4P UTP CAT6 LAN DOSTH 305         | 305 Mtr | 18,610           |
| 32440608     | 4P 23 AWG CAT6 PE ECCS ARMD CBL 305M  | 305 Mtr | 24,505           |
| 32245142     | 4P CAT6 LITE LAN GRY 305M X 2         | 305 Mtr | 15,113           |
| 32255142     | 4P CAT6 LITE LAN YLW 305M X 2         | 305 Mtr | 15,113           |
| 32265142     | 4P CAT6 LITE LAN GRN 305M X 2         | 305 Mtr | 15,113           |
| 32275142     | 4P CAT6 LITE LAN BLU 305M X 2         | 305 Mtr | 15,113           |



## Speaker Cable

List Price wef. 14 Jan 2026

| Product Code | Product Description                         | No. of coils in Master Carton | Unit    | List Price (Rs.) |
|--------------|---------------------------------------------|-------------------------------|---------|------------------|
| 60324024     | Speaker Cable 0.5 SQMM (Transparent)        | 6                             | 100 Mtr | 2,540            |
| 60325024     | Speaker Cable 0.75 SQMM (Transparent)       | 6                             | 100 Mtr | 3,705            |
| 60326024     | Speaker Cable 1 SQMM (Transparent)          | 6                             | 100 Mtr | 4,530            |
| 60327024     | Speaker Cable 1.5 SQMM (Transparent)        | 6                             | 100 Mtr | 6,810            |
| 60328024     | Speaker Cable 2.0 SQMM (Transparent)        | 6                             | 100 Mtr | 10,640           |
| 60329024     | Speaker Cable 2.5 SQMM (Transperant)100M    | 6                             | 100 Mtr | 11,335           |
| 60324022     | Speaker Cable 0.50 SQ MM (Transparent) 25 M | 24                            | 25 Mtr  | 635              |
| 60325022     | Speaker Cable 0.75 SQ MM (Transparent) 25 M | 24                            | 25 Mtr  | 925              |
| 60326022     | Speaker Cable 1.00 SQ MM (Transparent) 25 M | 24                            | 25 Mtr  | 1,135            |
| 60327022     | Speaker Cable 1.50 SQ MM (Transparent) 25 M | 24                            | 25 Mtr  | 1,700            |



## Agriculture



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



## 3 Core Flat Cable

| 3 CORE FLAT CABLE                                                                                                                                                                                  |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010 |  |  |  |  |  |

| Product Code | Conductor Area | LP Per 100 Mtr (Rs.) | Product Code | Conductor Area | LP Per 100 Mtr (Rs.)                            |
|--------------|----------------|----------------------|--------------|----------------|-------------------------------------------------|
| 13713041     | 1.5            | 11055                | 13803101     | 25             | 166010                                          |
| 13713051     | 2.5            | 17330                | 13803111     | 35             | 230730                                          |
| 13703061     | 4              | 26360                | 13803121*    | 50             | Prices for these sizes can be given on request. |
| 13803071     | 6              | 38965                | 13803131*    | 70             |                                                 |
| 13803081     | 10             | 67295                | 13803141*    | 95             |                                                 |
| 13803091     | 16             | 106180               |              |                |                                                 |

| FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|

| Product Code | Conductor Area | LP Per 100 Mtr (Rs.) | Product Code | Conductor Area | LP Per 100 Mtr (Rs.) |
|--------------|----------------|----------------------|--------------|----------------|----------------------|
| 13863049     | 1.5            | 11610                | 13823069     | 4              | 27680                |
| 13863059     | 2.5            | 18195                |              |                |                      |

| FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|

| Product Code | Conductor Area | LP Per 100 Mtr (Rs.) | Product Code | Conductor Area | LP Per 100 Mtr (Rs.) |
|--------------|----------------|----------------------|--------------|----------------|----------------------|
| 13823079     | 6              | 40915                | 13823109     | 25             | 174310               |
| 13823089     | 10             | 70660                | 13823119     | 35             | 242265               |
| 13823099     | 16             | 111490               |              |                |                      |

| 3 CORE FLAT CCA CABLES                                                                                                                                                           |  |  |  |  |  |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|
| FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS |  |  |  |  |  |  |  |

| Product Code | Conductor Area | Conductor Construction No. / Dia mm | LP Per 100 Mtr (Rs.) | Product Code | Conductor Area | Conductor Construction No. / Dia mm | LP Per 100 Mtr (Rs.) |
|--------------|----------------|-------------------------------------|----------------------|--------------|----------------|-------------------------------------|----------------------|
| 13853079     | 8              | 84/.36                              | 21535                | 13853109     | 36             | 354/.36                             | 84155                |
| 13853089     | 14             | 140/.36                             | 35910                | 13853119     | 50             | 594/.36                             | 116835               |
| 13853099     | 23             | 226/.36                             | 57105                |              |                |                                     |                      |

**PACKING** : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

**NOTE** : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

# PVC Insulated Winding Wires

List Price wef. 14 Jan 2026




## PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS  
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

| Product Code | Conductor Nominal (mm) | List Price per 100 Mtr (Rs.) | Std. Length Per Mono Carton (Mtrs) | No. of Mono Cartons Packed Per Master Carton |
|--------------|------------------------|------------------------------|------------------------------------|----------------------------------------------|
| 13000601     | 0.60                   | 710                          | 1000                               | 6                                            |
| 13000602     | 0.60                   | 710                          | 500                                | 6                                            |
| 13000701     | 0.70                   | 965                          | 1000                               | 6                                            |
| 13000702     | 0.70                   | 965                          | 500                                | 6                                            |
| 13000801     | 0.80                   | 1,330                        | 1000                               | 6                                            |
| 13000802     | 0.80                   | 1,330                        | 500                                | 6                                            |
| 13000901     | 0.90                   | 1,635                        | 1000                               | 5                                            |
| 13000902     | 0.90                   | 1,635                        | 500                                | 6                                            |
| 13001001     | 1.00                   | 1,990                        | 1000                               | 5                                            |
| 13001002     | 1.00                   | 1,990                        | 500                                | 6                                            |
| 13001101     | 1.10                   | 2,395                        | 1000                               | 4                                            |
| 13001102     | 1.10                   | 2,395                        | 500                                | 6                                            |
| 13001201     | 1.20                   | 2,830                        | 1000                               | 4                                            |
| 13001202     | 1.20                   | 2,830                        | 500                                | 6                                            |
| 13001301     | 1.30                   | 3,295                        | 1000                               | 3                                            |
| 13001302     | 1.30                   | 3,295                        | 500                                | 6                                            |
| 13001402     | 1.40                   | 3,835                        | 500                                | 5                                            |
| 13001502     | 1.50                   | 4,400                        | 500                                | 5                                            |
| 13001602     | 1.60                   | 4,990                        | 500                                | 4                                            |
| 13001702     | 1.70                   | 5,600                        | 500                                | 4                                            |
| 13001802     | 1.80                   | 6,305                        | 500                                | 4                                            |
| 13001902     | 1.90                   | 6,965                        | 500                                | 3                                            |
| 13002002     | 2.00                   | 7,790                        | 500                                | 3                                            |
| 13002102     | 2.10                   | 8,540                        | 500                                | 3                                            |
| 13002202     | 2.20                   | 9,350                        | 500                                | 2                                            |
| 13002302     | 2.30                   | 10,200                       | 500                                | 2                                            |
| 13002402     | 2.40                   | 11,100                       | 500                                | 2                                            |
| 13002502     | 2.50                   | 12,065                       | 500                                | 2                                            |
| 13002602     | 2.60                   | 13,030                       | 500                                | 2                                            |
| 13002702     | 2.70                   | 14,045                       | 500                                | 2                                            |
| 13002804     | 2.80*                  | 14,990                       | 250                                | 2                                            |
| 13003004     | 3.00*                  | 17,185                       | 250                                | 2                                            |

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.  
Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.  
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

**Finolex**



## Automobile / Solar Power



High thermal rating  
to withstand  
extreme temperatures



Excellent  
resistant to  
heat pressure



Long life &  
highly durable  
cables

## Auto Battery Cables

List Price wef. 14 Jan 2026



### AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

| **Product Code | Conductor Constructin | Conductor Area (sq.mm.) | List Price per 25 m coil Rs. | List Price per 100 m coil Rs. |
|----------------|-----------------------|-------------------------|------------------------------|-------------------------------|
| 22209          | 226/.3                | 16                      | 8,780                        | 35,120                        |
| 22210          | 354/.3                | 25                      | 13,735                       | 54,935                        |
| 22211          | 495/.3                | 35                      | 19,200                       | 76,795                        |
| 22212          | 703/.3                | 50                      | 27,225                       | 108,900                       |
| 22513          | 360/.5                | 70                      | 39,750                       | 159,000                       |
| 22514          | 475/.5.*              | 95                      | 52,540                       | 210,145                       |
| 22515          | 608/.5.*              | 120                     | 67,515                       | 270,050                       |
| 22516          | 750/.5.*              | 150                     | 83,615                       | 334,460                       |
| 22517          | 925/.5.*              | 185                     | 103,390                      | 413,575                       |
| 22518          | 1221/.5.*             | 240                     | 136,005                      | 544,020                       |

### PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

| **Product Code | Conductor Constructin | Conductor Area (sq.mm.) | List Price per 25 m coil Rs. | List Price per 100 m coil Rs. |
|----------------|-----------------------|-------------------------|------------------------------|-------------------------------|
| 2253           | 17/.3                 | 1.20                    | 1035                         | 4,130                         |

### 1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

| **Product Code | Conductor Constructin | Conductor Area (sq.mm.) | List Price per 25 m coil Rs. | List Price per 100 m coil Rs. |
|----------------|-----------------------|-------------------------|------------------------------|-------------------------------|
| 2301           | 16/.21                | 0.50                    | 300                          | 1,190                         |
| 2302           | 24/.21                | 0.75                    | 450                          | 1,790                         |
| 2303           | 32/.21                | 1.00                    | 600                          | 2,380                         |
| 2304           | 30/.26                | 1.50                    | 880                          | 3,505                         |
| 2305           | 50/.26                | 2.50                    | 1,460                        | 5,820                         |
| 2306           | 56/.31                | 4.00                    | 2,420                        | 9,655                         |
| 2307           | 84/.31                | 6.00                    | 3,595                        | 14,370                        |

# Solar Cables

List Price wef. 14 Jan 2026



| SOLAR DC CABLE                                                                                                                                                                                           |                                              |                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------|
| FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD. |                                              |                           |
| **Product Code                                                                                                                                                                                           | Material Description                         | List Price per 100m (Rs.) |
| 16905018                                                                                                                                                                                                 | 50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED   | 5,510                     |
| 16995018                                                                                                                                                                                                 | 50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black | 5,510                     |
| 16906018                                                                                                                                                                                                 | 56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red    | 8,145                     |
| 16996018                                                                                                                                                                                                 | 56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black  | 8,145                     |
| 16907016                                                                                                                                                                                                 | 84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red    | 12,005                    |
| 16997016                                                                                                                                                                                                 | 84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black  | 12,005                    |

| Solar Nova     |                                    |                           |
|----------------|------------------------------------|---------------------------|
| **Product Code | Material Description               | List Price per 100m (Rs.) |
| 16985014       | ATC 2.5 SOLAR NOVA EBEAM100MBLK    | 5,370                     |
| 16986014       | ATC 4.0 SOLAR NOVA EBEAM 100MBLK   | 7,840                     |
| 16987014       | ATC 6.0 SOLAR NOVA EBEAM 100M BLK  | 11,870                    |
|                | ATC 10.0 SOLAR NOVA EBEAM 100M BLK | 22,020                    |

## NOTES

- Prices  
GST extra as applicable.
- Printing  
Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery  
F.O.R. any station in India by road transport.
- Product Code  
The full product code is of 8 digits. For example :  
22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m  
22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.  
a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,  
225 represents Auto Cable IS specifications for 0.5 conductor.  
b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.  
c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.  
d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.

Visit us at: [www.finolex.com](http://www.finolex.com) | [f](#) /Finolexcables | [t](#) /Finolexcables | [i](#) /Finolex.Cables



For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | Bengaluru: 7022979589 |  
Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /  
28231514 | Chandigarh: 0172-4064047 | Cochin: 9388689870 |  
Coimbatore: 0422-2330997 | Dharwad: 8382748440 | Goa: 8322782003 /  
2782065 | Gurgaon: 9896763770 | Guwahati: 9864027312 / 8135029423  
| Indore: 7314911723 | Jaipur: 9829111411 | Kolkata: 033-24192494 /  
24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New  
Delhi: 011-23324748 / 23353100 | Patna: 9934107999 | Pune:  
020-27506200 | Raipur: 7008336581 | Ranchi: 8101383841 |  
Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodara:  
9879555568 | Vijayawada: 9848043967

Sample card available on request

All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.  
In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.  
When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.